

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Art Unit

: 1742

Customer No.: 035811

Examiner Serial No. Deborah Yec 10/671,384

Filed Inventors September 24, 2003

Yoshihiro Yazawa Osamu Furukimi

Docket No.: 1412-DIV-02

Yasushi Kato

Confirmation No.: 1865

Title

Yoshihiro Ozaki FERRITIC STAINLESS STEEL SHEET HAVING EXCELLENT DEEP-DRAWABILITY AND BRITTLE RESISTANCE TO SECONDARY PROCESSING

: AND METHOD FOR MAKING THE SAME

DECLARATION OF YOSHIHIRO YAZAWA

Mail Stop AF Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

I, Yoshihiro Yazawa, declare that I am one of the inventors named in the above-identified U.S. Patent Application, and that I am thoroughly familiar with the above referenced patent application and the invention described and claimed therein.

I entered Osaka University in 1982 and also studied at graduate school; took a master's degree; and entered Kawasaki Steel Corporation in 1988 and has been engaged since then in research of stainless steel.

I understand that the claims in this application have been rejected as being obvious over EP '685 individually or taken together with "admitted prior art" on pages 1-3 of the specification. To demonstrate the unexpected increase in toughness of steel sheets in the solicited claims by the addition of the claimed amount of vanadium, we took a steel sheet from the specification, namely steel A10, and compared it to another steel that contains an amount of vanadium outside of the claimed range. The attached absorbed energy versus temperature graph shows the dramatic and

-PHILL:3739990.v1

Page 1 of 2

unexpected increase in absorbed energy, which translates into increased toughness in the steel sheets by virtue of the inclusion of the claimed amount of vanadium. One skilled in the art would not expect this based on a fair reading of EP '685.

The undersigned declares that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and thus such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Date: November 8 2005

Yoshikiro Yazawa, Co-inventor

Improvement of Toughness of Induspensable addition

of B and V

Chemical Composition (mass%)

υ

Š

Brittleness transition temperature (C) -55 -92 -60 Ra (и m) 0.007 0.007 Invention Remarks C.B. 0.0060 0,0610 0.0001 > 0.005 | 17.9 | 0.005 | 0.0001 | 0.250 | 0.006 | 20ppm 20ppm 0.005 0.0001 0.250 0.006 0.006 Z, 0.264 E ŝ 8 0.006 18.1 ပ် 0.005 Ø 0.026 0.025 0.028 ۵ 0.14 0.13 ž 0.010 0.095 2 Compac 0.005 attve A Compar 0.005

•							0	
		•		•				Temperature(°C)
2	&	9	~	ŧ ·	2		ŧ	
Absorbed Energy(kgf/cm ²)								

ative A ative B

0.060

0.010 0.0400 3.230 0.1600

-80 (C)

4.650 .620

6.980 2.5000

-60

6.800

-50 8.100 4.8500

-40 |8.230 |6.6200 | 7.900 -30 |8.400 |7.8200 | 8.220

8.420 8.3300

Compar Compar

A10

ture

pera

Tem

Absorbed Bnergy(kgf/cm2)